

TRAVELLER DELIVERY VAN

TRAVELLER DELIVERY VAN

TRAVELLER
DELIVERY VAN
WIDER

SALIENT FEATURES



Lighter & Stronger pressed steel body with Monocoque construction.
Outstanding structural strength and unmatched durability. Robotic Automated welding for best-in-class build quality





Powered by the Mercedes derived FM 2.6 CR ED BS-VI engine derived from Mercedes designs and adapted to Indian conditions. Best in class fuel mileage

India's first product to have the option of sliding doors on driver and co-driver side in addition to 0 270 opening rear door. Ensures easy loading and unloading of cargo. Low loading height for T1 750 mm & T2 775 mm




Vehicle tracking and surveillance system (optional) India's 1st product with live tracking and live footage streaming for enhanced safety



Red & White colour options





TECHNICAL SPECIFICATIONS

VARIANT

ENGINE Model FM2.6CR ED Emission BS-VI Type 4 Cyl. Common Rail, DI TCIC Displacement 2596 cc

Max Output	85kW (115 hp) @ 2950 rpm
Max Torque	350 Nm @ 1400 – 2200 rpm

TRANSMISSION	
Туре	Synchromesh
Model	G32-5
No. of Gears	5Front +1Reverse

SUSPENSION	
Front	Spring Semi elliptical, hydraulic shock absorbers and anti roll bar
Rear	Spring Semi elliptical, hydraulic shock absorbers and anti roll bar(optional)

STEERING	
Туре	Power Steering

BRAKES	
Service Brakes	Hydraulic, Dual circuit, vacuum assisted, auto slack adjuster, ABS with EBD(optional)

Front	Disc
Rear	Drum / (Disc only on 4020WB)
Parking	Mechanical acting on rear wheels

WHEELS & TYRES				
Size	215/75215/75 R15	215/75 R15	235 / 65 R16	
Tyre Type	Radial tubless with Tube / (4 + 1 Tyre)			

DIMENSIONS				
Wheel Base (mm)	3050	3350	3700	4020
Overall Length (mm)	5135	5615	6265	6966
Overall Width (mm)	1900			
Overall Height (mm)	2550			
Cargo Box (L x W x H)	2820 X 1680 X 1830	3300 X 1680 X 1830	3950 X 1680 X 1830	4653 X 1680 X 1830
Ground Clearance (mm)	200			

WEIGHTS (kg)				
Max. Permissible GAW	3870	3905	4125	4375
Rated Payload	1600	1600	1700	1800

CAPACITY

Fuel Tank

70 litres

SEATING CAPACITY

Seating Capacity

D + 1