

DISC PLOUGH








SALIENT FEATURES

- The plough is made from boron steel body
- Height adjustable drawbar
- Adjustment for working depth
- Reliable turnover mechanism
- Overload safety protection

DISC PLOUGH

MB Plough is used for initial soil preparation for sowing seed or planting. Generally used for deep tillage of land, to help turn over the upper layer of the soil, bringing fresh nutrients to the surface, while burying weeds and remains of previous crop. It also aerates the soil, allows it to hold moisture better and is tough to withstand heavy loads.

TECHNICAL SPECIFICATIONS

 Model Name	 Frame (mm)	 Axle Type	 No. Of Disc	 Mounted Cat.	 Height (mm)	 Type Of Disc	 Disc Diameter (mm)	 Distance Between Discs (mm)	 Width Of Cut (mm)	 Bearing Hubs	 Weight (kg. Approx.)	 Tractor Power (HP)
SL-DP-02 MINI	OD 139.7, ID 124	Spindle	2	Cat I	812		510 x 4	462	400	2	165	20-26
SL-DP-02	OD 168, ID 145 (Seamless Tubular Frame)		2						500-550	2	290	50-55
SL-DP-03			3	Cat II	1138.5	Plain Disc	660 x 6 Boron Steel	570	850-900	3	400	60-75
SL-DP-04			4						1100-1150	4	495	85-90



BAR TYPE SCRAPER FOR LONG LIFE



STRONG AND ROBUST FRAME MADE OF SEAMLESS TUBULAR PIPE



CLOSED SPRING TYPE COULTER DISC ASSEMBLY



LONGER LIFE OF BORON STEEL DISCS



SONALIKA

Auth. Dealer